







●訂購編號 Code No.

W - P H - - 型式 Type A1
A2
B1.本體 Body
2.本體座 Clamp

Code No.	A	B	C	D	E	F	G	φH	I	J	K	L	M	N	R	S	T
W-PH-A1	16	25	23	78	41	19	90.5	29	NPT 1/2 14山	M8 x 28 Bolt	M8 P=1.25	21	27	10	4	24	29
W-PH-A2	29			91											6		
W-PH-B	21	33	27	95	48	24	96.5	35	NPT 3/4 14山	M10 x 32 Bolt	M10 P=1.5	26	32	13	4	29	34



●訂購編號 Code No.

W - P H - - 型式 Type A1-1
A2-2偏芯寸法
Offset Size

Code No.	A	B	C	D	E	F	G	φH	I	J	K	L	P	R	S
W-PH-C1x13	16			78										4	
W-PH-C2x13	29			91										6	
W-PH-C1x19	16	25	23	78	41	19	90.5	29	NPT 1/2 14山	M8 x 28 Bolt	M8 P=1.25	10	13	4	29
W-PH-C2x19	32			91									19	6	



● 訂購編號 Code No.

W - **A** **D** - - -

型式 Type

有效長 Size

材質 Material


1.Crcu

2.BeCu



3. *

Type	Code No.	Shank	Taper
A	W-AD-A	$\phi 16$	MT-No.2、1/10
B	W-AD-B	$\phi 13$	MT-No.1、1/10
D	W-AD-D	$\phi 19$	1/10

W - AD - A -



W - AD - B - ☐

W - AD - D - ☐

Code No.	全長L	有効長A
W-AD-A-10	23	10
W-AD-A-15	28	15
W-AD-A-20	33	20
W-AD-A-30	43	30
W-AD-A-40	53	40
W-AD-A-50	63	50
W-AD-A-60	73	60

Code No.	全長L	有効長A
W-AD-B-10	23	10
W-AD-B-15	28	15
W-AD-B-20	33	20
W-AD-B-30	43	30
W-AD-B-40	53	40
W-AD-B-50	63	50
W-AD-B-60	73	60

Code No.	全長L	有効長A
W-AD-D-10	23	10
W-AD-D-15	28	15
W-AD-D-20	33	20
W-AD-D-30	43	30
W-AD-D-40	53	40
W-AD-D-50	63	50
W-AD-D-60	73	60

標準型 Shank

● 訂購編號 Code No.


W-SH-□x□-□

外徑 O.D

A有效長
Size

材質 Material


- 1.Crcu
- 2.EKB-50
- 3.EKB-25



Shank φ13 用

單位:mm


Code No.	L	A	Code No.	L	A
W-SH-13x25-□	25	23	W-SH-13x60-□	62	60
W-SH-13x30-□	30	28	W-SH-13x70-□	72	70
W-SH-13x35-□	35	33	W-SH-13x80-□	82	80
W-SH-13x40-□	42	40	W-SH-13x90-□	92	90
W-SH-13x50-□	52	50	W-SH-13x100-□	102	100



Shank φ16 用

單位:mm

Code No.	L	A	Code No.	L	A
W-SH-16x40-□	44	40	W-SH-16x100-□	104	100
W-SH-16x50-□	54	50	W-SH-16x110-□	114	110
W-SH-16x60-□	64	60	W-SH-16x120-□	124	120
W-SH-16x70-□	74	70	W-SH-16x130-□	134	130
W-SH-16x80-□	84	80	W-SH-16x140-□	144	140
W-SH-16x90-□	94	90	W-SH-16x150-□	154	150



Shank φ19 用

單位:mm

Code No.	L	A	Code No.	L	A
W-SH-19x40-□	50	40	W-SH-19x80-□	90	80
W-SH-19x50-□	60	50	W-SH-19x90-□	100	90
W-SH-19x60-□	70	60	W-SH-19x100-□	110	100

段付B型


● 訂購編號 Code No.

W-SH-B-x-

外徑 O.D

A有效長 Size

材質 Material

1.Crcu
2.EKB-50
3.EKB-25

單位:mm

Code No.	L	A	Code No.	L	A
⑧13x32-	36	32	⑧13x102-	106	102
⑧13x42-	46	42	⑧13x112-	116	112
⑧13x52-	56	52	⑧13x122-	126	122
⑧13x62-	66	62	⑧13x132-	136	132
⑧13x72-	76	72	⑧13x142-	146	142
⑧13x82-	86	82	⑧13x152-	156	152
⑧13x92-	96	92			

SKK型


● 訂購編號 Code No.

W-SH-SKK-x-

外徑 O.D

A有效長 Size

材質 Material

1.Crcu
2.EKB-50
3.EKB-25

單位:mm

Code No.	L	A
SKK-13x 40-	46	40
SKK-13x 50-	56	50
SKK-13x 60-	66	60
SKK-13x 70-	76	70
SKK-13x 80-	86	80
SKK-13x 90-	96	90
SKK-13x100-	106	100
SKK-13x110-	116	110
SKK-13x120-	126	120

偏芯型 Offset Shank

● 訂購編號 Code No.


W-SH-x--

外徑 O.D

B尺寸 Size

P尺寸 Size

材質 Material

1.Crcu
2.EKB-50
3.EKB-25

單位:mm

Code No.	P	A	B
W-SH-16x50-3	3	53	50
W-SH-16x50-6	6	53	50
W-SH-16x50-9	9	53	50
W-SH-16x50-13	13	53	50
W-SH-16x60-3	3	63	60
W-SH-16x60-6	6	63	60
W-SH-16x60-9	9	63	60
W-SH-16x60-13	13	63	60
W-SH-16x60-15	15	63	60
W-SH-16x60-19	19	63	60
W-SH-16x80-6	6	83	80
W-SH-16x80-9	9	83	80
W-SH-16x80-13	13	83	80
W-SH-16x80-15	15	83	80
W-SH-16x80-19	19	83	80
W-SH-16x80-25	25	83	80
W-SH-16x100-19	19	103	100



單位:mm

Code No.	全長 Length	尺寸 Dimensions				
		ϕA	ϕB	ϕC	T	L
T□-12-	35	12	4	8	15	$L=L-15$
	45		5			
T□-13-	55	13	4	8	15	$L=L-15$
	65		5			
T□-16-	75	16	5	10	20	$L=L-20$
	85		6			
T□-19-	85	19	6	10	20	$L=L-20$
			8			

● 訂購編號 Code No.

T□-16-50-6-1-1

型式 Type

外徑 OD

全長 L

點徑
Spot Dia錐度
Taper

1	1/9.6
2	1/10
3	1/5

材質
Material

1	CrCu
2	BeCu
3	AlCu
4	*

型式Type


D型

R型

P型

E型

F型





單位:mm

Code No.	全長 Length	尺寸 Dimensions					
		φ A	φ B	φ C	T	R	L
C □-12-	20	12	5	10	1/9.6	6R	9
	(23)		6		1/10		
	25						
C □-13-	20	13	5	10	1/10	6.5R	9
	23		6				
	25						
C □-16-	20	16	5	12.6 (12)	1/10	8R	9
	23		6		*		
	25				(1/9.6)		

* 為特殊規格(Special Products)

● 訂購編號 Code No.

C□-12-20-5-1-1

型式 Type

外徑 OD

全長 L

點徑
Spot Dia錐度
Taper

1	1/9.6
2	1/10

材質
Material

1	CrCu
2	BeCu
3	AlCu
4	*

型式Type






D型

R型

P型

E型

F型




N型電極 Bend Electrode

N形電極 Bend Electrode


● 訂購編號 Code No.




EK-C-1-2



EK-C-2-2



EK-C-2-3




樣品區 Sample





電極本體 Holder



Code No.	A	L	Taper
25x150-	25	150	16 1/10、16 1/5
25x200-	25	200	16 1/10、16 1/5
25x250-	25	250	12 1/10、16 1/10、16 1/5、16MT ₂
25x300-	25	300	16 1/10、16 1/5
32x200-	32	200	16 1/10、16 1/5
32x250-	32	250	16 1/10、16 1/5、16MT ₂ 、20 1/5

L型電極本體 L Type Holder

Code No.	間距	Taper	角度	φ徑
JS-0525	50	1/5, 1/10	90°	25
JS-0525R	50	1/10	15°	
JS-1025	100	1/5, 1/10	90°	
JS-1025R	100	1/10	15°	
JS-0532	50	1/5, 1/10	90°	32
JS-0532R	50	1/10	15°	
JS-1032	100	1/5, 1/10	90°	
JS-1032R	100	1/10	15°	




F型/直型水管配件 Parts



電極座本體 Electrode Platen

Best
Business



桁 Horn



材質:BSBM

Code No.	A	B	C
H60-230-25	230	60	25
H60-300-25	300	60	
H70-230-32	230	70	32
H70-300-32	300	70	

Code No.	A	B	C
HK60-300-25	300	60	25
HK60-300-25W	300	60	25



凸型電極座 Platen



Code No.	A	B	C	D	E	F	
PH150-16-1/5	16	1/5	150	60	18	$\phi 60$	$\square 150$
PH150-16-1/10		1/10					
PH150-20-1/5	20	1/5	150	60	18	$\phi 60$	$\square 150$
PH150-20-1/10		1/10					
PH200-16-1/5	16	1/5	200	75	20	$\phi 60$	$\square 200$
PH200-16-1/10		1/10					
PH200-20-1/5	20	1/5	200	75	20	$\phi 60$	$\square 200$
PH200-20-1/10		1/10					